





ORTHODONTICS / ORTODONZIA




TC inserts on cutters and distal ends, electro-welded by utilizing the most advanced technologies. A wide range of cutters and distal ends offering different cutting functions.

Inserti in TC per tronchesi e distali, elettro-saldati con le più moderne tecnologie. Tronchesi e distali articolati in vari modelli aventi differenti capacità di taglio.




New rhombus design for MEDESYS's distal ends: a lighter and thinner shape for a better use.

Nuova forma romboidale per i distali MEDESYS: sagoma alleggerita e assottigliata per un migliore utilizzo.




The sophisticated hand crafted BOX-JOINT system which characterizes our CENTURY LINE, ensures a higher stability of the instrument, safer use, longer duration and preserves the tips perfectly aligned.

Laborioso sistema di assemblaggio BOX-JOINT che caratterizza la nostra CENTURY LINE, garantisce affidabilità e lungo utilizzo della pinza, mantenendo le punte perfettamente allineate.



A special glass-microspheres surface treatment adds to the instrument an anti-glare and elegant finishing.

Finitura superficiale a microsferi di vetro, per ottenere un'ottima superficie pregiata ed anti-riflesso.



The golden handles, in line with the international standard codes, to identify that TC inserts have been welded on the cutting or working parts of the instrument.

I gambi dorati indicano secondo un codice internazionale l'inserimento di placche in TC nella parte lavorante o tagliente.



Century line

SPECIFICATIONS ON THE CODES

SPECIFICHE SUI CODICI

Code Codice	3000/47 TC
Type Modello	N. 64
Thickness of wire Spessore del filo	Ø max 0,7 mm
Length of the instrument Lunghezza dello strumento	(mm 140)

Yellow color for TC instruments
Colore giallo per strumenti in TC

Grey color for standard instruments
Colore grigio per strumenti tradizionali



DISTAL END CUTTERS

TRONCHESINI DISTALI CON RITENUTA



3000/64 TC

(1:1 scale / scala 1:1)



3000/64 TC

ø max 0,55 x 0,64 mm
(mm 125)

*Distal end cutter.
Rhombus design N. 64.*



3000/67 TC

ø max 0,55 x 0,64 mm
(mm 125)


*Distal end cutter.
Rhombus design N. 67.*



3000/67 TC LL

ø max 0,55 x 0,64 mm
(mm 150)

*Distal end cutter.
Rhombus design N. 67.
Long handle.*



3000/88 TC

ø max 0,55 x 0,64 mm
(mm 125)

*Distal end cutter.
Rhombus design N. 88.*



3000/77 TC

ø max 0,55 x 0,64 mm
(mm 125)

*Distal end cutter.
Rhombus design N. 77.*



3000/69 TC

NiTi wires, 0,12" and 0,14"
(mm 125)

*Distal End cutter specifically
designed for NiTi wires, cut
and hold NiTi wires safely.*



ORTHODONTICS / ORTODONZIA




WIRE CUTTERS

TRONCHESINI

PIN AND LIGATURE CUTTERS

3000/89 TC


(1:1 scale / scala 1:1)



3000/89 TC

ø max 0,3 mm
(mm 120)

Delicate cutter, specially designed for the removal of soft stainless steel ligatures.



3000/91 TC

ø max 0,3 mm
(mm 125)


Delicate cutter with a fine tip for easier access to difficult areas. Cut elastics, ligatures, pins and wire.



3000/99 TC

ø max 0,5 mm
(mm 130)

Medium cutter ensuring accurate and precision cutting of elastics, ligatures, pins and wire.




3000/85 TC

ø max 0,3 mm
(mm 130)

Standard cutter with slim profile, allowing an easy access and better view of the oral cavity.



15°



3000/85 TC - 15°

ø max 0,3 mm
(mm 130)

Angled 15°

Same as 85TC, but with a 15° offset tip enhancing a better access in difficult areas

“ MEDESYS IN SPOT

Conversion chart

Scala di conversione


mm	Inch
0,3	0,012"
0,4	0,016"
0,5	0,020"
0,6	0,024"
0,7	0,028"
0,8	0,031"
0,9	0,035"
1,0	0,039"

”

HARD WIRE CUTTERS



3000/87 TC
(1:1 scale / scala 1:1)



3000/94 TC

ø max 0,5 mm
(mm 130)

Angled 15°


Medium cutter with rounded and slim tip. 15° offset tips help in posterior area.



3000/87 TC

ø max 0,7 mm
(mm 130)

Suitable for cutting archwires or pins of any size. TC inserts ensuring longer duration.



3000/87 TC - 15°

ø max 0,7 mm
(mm 130)

Angled 15°

Same as 87TC, but with a 15° offset tip enhancing a better access in difficult areas

HARD STEEL



3000/92 TC

ø max 1,0 mm
(mm 140)

For front cutting of heavy wires.



3000/18 TC

ø max 1,0 mm
(mm 155)

For an easy cutting of any size of archwire or pin. 15° offset tips for an easier access to the posterior area.



9952/160 TC

ø max 1,2 mm
(mm 160)

Triple action system for heavy wires, reduce effort on cutting.






UTILITY PLIERS

PINZE AUSILIARIE

3000/31

(1:1 scale / scala 1:1)



3000/31

Weingart
ø max 0,5 mm
(mm 140)

Versatile utility plier with very fine serration.

3000/32



Weingart – Slim
ø max 0,5 mm
(mm 145)

Weingart with fine points.

3000/25 TC

Weingart angled
ø max 0,5 mm
(mm 140)

Weingart with TC tips, indicated also for placement and removal of archwires, because of the tapered angular design.



3000/84

How plier – Straight
ø max 0,7 mm
(mm 140)

Utility plier with round and serrated tips. Ideal for removal and placement of the archwires. Grasping all types of auxiliaries attachments.

3000/72

How plier – Angled
ø max 0,7 mm
(mm 140)

45° angled tips for convenient access to lingual and others difficult posteriors areas.

“ MEDESY IN SPOT

Synthetic lubricant oil specially developed and made for high precision articulations. If regularly used, the lubricant oil extends the life and efficiency of the instruments.

Olio sintetico lubrificante appositamente studiato e realizzato per micro snodi meccanici ad elevata precisione. Usato regolarmente prolunga la durata e l'efficienza dello strumento. ”



4150

250 ml

Drop bottle
Formato a caduta


WIRE BENDING PLIERS

PINZE PIEGA FILI



3000/39 TC

(1:1 scale / scala 1:1)




3000/23

Adams
 ø max 0,4 mm
 (mm 125)

Squared beaks, clasp and wire bending plier.



TC



3000/23 TC

Adams
 ø max 0,4 mm
 (mm 125)

Squared beaks, clasp and wire bending plier, TC inserts.





TC



3000/47 TC

N.64
 ø max 0,7 mm
 (mm 140)

Squared beaks, heavy type, TC inserts.




3000/39 TC

Angle N.139
 ø max 0,7 mm
 (mm 125)

Bird beak plier, cone and pyramidal tips in TC. Indicated for loops and general bending of round wires.





TC



3000/86 TC

Angle N.138
 ø max 0,7 mm
 (mm 125)

Long bird beaks for light wire. TC inserts.



3000/21

ø max 0,7 mm
 (mm 130)


4 grooved bird beaks used to form precise loops in round, squared or rectangular light wire.



ORTHODONTICS / ORTODONZIA

3000/54

(1:1 scale / scala 1:1)



3000/40C TC

Tweed
 ø max 0,4 mm
 (mm 135)

With cutter

Ideal with round and square wire, for making consistent uniform loops. Section tips 1,2-1,8-2,0 mm.

3000/38C TC

ø max 0,6 mm
 (mm 130)

With cutter



Light wire cutting and contouring plier. For round wire, to bend small ø loops. Contouring of loops and arches up to 0,55 x 0,64 mm.

3000/46C TC

Angle
 ø max 0,5 mm
 (mm 130)

With cutter

Bird beak with cutter and TC inserts.



3000/57

Aderer – Short
 ø max 0,6 mm
 (mm 120)

3 jaw plier – Short. Lightly rounded tips, for contouring and bending without damaging the archwire.

3000/54

Aderer – Long
 ø max 0,7 mm
 (mm 130)




3 jaw plier – Long. Lightly rounded tips, for contouring and bending without damaging the archwire.

3000/20

Jarabak
 ø max 0,7 mm
 (mm 140)

Light wire bending plier. Versatile in different uses, as bending or closing loops. One beak partially serrated for safe grip.

3000/51
(1:1 scale / scala 1:1)



3000/51
Tweed – Short
ø max 0,5 mm
(mm 125)

*Arch forming plier – Short.
Ideal for torquing and bending
squared or rectangular wire.
Parallel blades prevents
crushing of wires.*

3000/52
Tweed – Long
ø max 0,7 mm
(mm 130)

*Arch forming plier – Long.
As 3000/51 but for
bigger wires size.*

3000/30
Schwarz
ø max 0,7 mm
(mm 130)

Arrow clasp bending plier.



3000/34
De La Rosa
ø max 0,5 mm
(mm 125)

*Contours and forms archwires,
of light wire without torquing.*

3000/35
De La Rosa
ø max 0,5 mm
(mm 125)

*Same as 3000/34 with additional
grooves measuring respectively
0,41-0,46-0,56 mm.*

3000/58
ø max 0,7 mm
(mm 125)

*Lingual arch forming
plier for fast forming
all lingual retainers.*



3000/90


(1:1 scale / scala 1:1)



3000/98

Tweed – Short
 ø max 0,5 mm
 (mm 135)

Designed to form precise omega loops. Long grooved beak internally smoothed. Short type.



3000/95

Tweed – Short
 ø max 0,5 mm
 (mm 135)

Designed to form precise omega loops. Short grooved beak internally serrated. Short type.



3000/55

Young
 ø max 0,7 mm
 (mm 130)


Ideal for labial arches and face bow. Universal plier for different size loops.



3000/96

Tweed – Long
 ø max 0,5 mm
 (mm 145)


Designed to form precise omega loops. Long grooved beak internally smoothed. Long type.



3000/90

Tweed – Long
 ø max 0,5 mm
 (mm 145)

Designed to form precise omega loops. Long grooved beak internally serrated. Long type.



3000/97


Tweed – O'Brein
 ø max 0,7 mm
 (mm 140)

Graduated cone to form precise omega and closing loops. Micro serrated beaks to prevent wire slippage.

3000/81
(1:1 scale / scala 1:1)



☉ ø 0,7 mm




3000/53

Optical
ø max 0,7 mm
(mm 140)

*Concave/convex loop forming
plier, small-medium.*


☉ ø 1,2 mm



3000/79

Optical
ø max 0,5 mm
(mm 135)

*Concave/convex loop forming
plier, medium-large.*



3000/70

Hollow chop
ø max 0,8 mm
(mm 140)

*Contours and form
arches of all sizes.*

■ ■ ø 0,7 mm




3000/81

ø max 0,7 mm
(mm 135)

Long and delicate beaks plier.

● ●




3000/28

ø max 0,6 mm
(mm 140)

2 round beaks long.

● ●



3000/44

ø max 0,7 mm
(mm 125)

2 round beaks short.



3000/63

(1:1 scale / scala 1:1)



3000/80

Nance
 ø max 0,7 mm
 (mm 130)

*Loop bending plier.
 Four step tips (3, 4, 5, 6 mm)
 for loops forming. Round
 and rectangular wire.*


3000/63

Cinch back
 ø max 0,7 mm
 (mm 155)

*Cinch back utility plier.
 For closing arches or cinch down a wire.
 Use on round or rectangular wire.*



● ø 2,0 mm



3000/43

ø max 0,5 mm
 (mm 140)

*Closing loop plier.
 Different loops in only one plier.*

3000/60


ø max 1,4 mm
 (mm 130)

*3 prong plier. For hard wires.
 Round tips prevents any
 damage of archwire.*

3000/56


Nance
 ø max 0,7 mm
 (mm 135)

*Loop closing plier.
 For bending of stop loops and
 ideal for Adams clasps.*




3000/59
Johnson
(mm 135)

Crown and band contouring plier.



3000/61
Reynolds
(mm 130)

Crown and band contouring plier.





3000/29
Schwarz
ø max 0,7 mm
(mm 125)

Arrow clasp bending plier.

MEDESY offers a very practical solution for handling your pliers during cleaning and sterilization sections. Our GAMMAFIX trays helps on organizing your pliers in practical set ups and handle them safely. Just some of the specific benefits of our GAMMAFIX trays: inserts made of special non-toxic silicon and open corners to facilitate the outflow of residuals and water and therefore reduce the drying time. More info on www.medesy.it


MEDESY presenta un'ottimale soluzione per maneggiare le pinze ortodontiche durante il processo di pulizia e sterilizzazione. I vassoi della serie GAMMAFIX risultano estremamente pratici e versatili per contenere le pinze ortodontiche in tutta sicurezza. I vassoi GAMMAFIX si distinguono per la loro praticità d'uso ed importanti accorgimenti, tra i quali il silicone atossico e angoli aperti atti a defluire acqua e residui. Maggiori informazioni su www.medesy.it

981/ORTO
Based on 981/19
Gammaxif (Quatri)
Basato su 981/19
Gammaxif (Quatri)





GAMMAFIXTM
by MEDESY





Pliers to remove the brackets: the extremely sharp tips allow an easy access under the flange of the bracket and facilitate its detachment.

Pinze per rimozione attacchi: le punte affilate permettono di entrare sotto la flangia dell'attacco e ne consentono il distacco con estrema facilità.



3000/62

Crimpable archwire hook

(mm 130)

For ball hooks and auxiliaries

3000/83


Bracket remover – Straight

(mm 135)

3000/82

Bracket remover – Angled

(mm 135)



Pliers to remove the bands available in two sizes, short and long. The rubber insert fully autoclavable sticks perfectly to the crown and allows an optimal position of the tip during the removal of the band.

Pinze per la rimozione di bande disponibili in 2 misure, lunga e corta. Il gommino sterilizzabile, rimane perfettamente in contatto con la corona, permettendo una ottimale posizione della punta, per la rimozione della banda.



3000/49 TC

Posterior band remover – Short

(mm 135)

3000/50 TC

Posterior band remover – Long

(mm 135)

3000/RS49

Tips spare parts, 2 pieces packed

Gommini di ricambio, 2 pezzi al sacchetto






The pliers of our ARGENTUM LINE are assembled by the RIVET-JOINT system: means of a large flat head rivet. It is the less complex manufacturing process and therefore more economic in terms of costs. The double head size of the rivet guarantees more stability and therefore the best performance.

Sistema di assemblaggio RIVET-JOINT, per ARGENTUM LINE: è il sistema tradizionale e più economico di fissaggio delle pinze ortodontiche. Caratterizzato da un rivetto a passo largo e poi ribattuto. La misura della testa è raddoppiata per poter garantire con maggior sicurezza il fissaggio e, di conseguenza, la relativa affidabilità.



A special corundum micro-sand finishing ensures an elegant and anti-glare surface of the pliers.

Finitura a corindone, per ottenere un'ottima superficie anti riflesso.



The pliers ARGENTUM are characterized by handles in a glossy finish (the pliers with TC inserts maintain the identifying standard GOLD finish).

Pinze ARGENTUM caratterizzate da manici con finitura lucida (pinze con inserti in TC mantengono finitura GOLD).



Argentum line




ORTHODONTICS / ORTODONZIA

UTILITY PLIERS

PINZE AUSILIARIE

3200/32

(1:1 scale / scala 1:1)



3200/31


Weingart
ø max 0,5 mm
(mm 140)

Versatile utility plier with very fine serration.

3200/32

Weingart – Slim
ø max 0,5 mm
(mm 140)

Weingart with fine points.



3200/84

How plier – Straight
ø max 0,7 mm
(mm 135)

Utility plier with round and serrated tips. Ideal for removal and placement of archwires.

3200/72

How plier – Curved
ø max 0,7 mm
(mm 135)

45° angled tips for convenient access to lingual and others difficult posterior areas.

“ MEDESYS IN SPOT

MEDESYS suggests to regularly lubricate the joined part of the instruments. A simple procedure which ensures a perfect performance and longer duration of the plier.

MEDESYS suggerisce di utilizzare l'olio lubrificante regolarmente. Una periodica manutenzione assicura alla pinza un perfetto utilizzo prolungato nel tempo, evitando eventuali grippaggi.




4100

210 ml

Aerosol can
Formato spray


WIRE BENDING PLIERS

PINZE PIEGA FILI



3200/39

(1:1 scale / scala 1:1)



3200/39 TC

Angle N.139
 ø max 0,7 mm
 (mm 120)

Bird beak plier, cone and pyramidal tips in TC. Indicated for loops and general bending of round wires.

3200/39


Angle N.139
 ø max 0,6 mm
 (mm 120)

Bird beak plier, cone and pyramidal tips. Indicated for loops and general bending of round wire.

3200/81

ø max 0,6 mm
 (mm 125)

Bird beak plier, cone and pyramidal tips. Longer than 3200/39.



3200/23

Adams
 ø max 0,7 mm
 (mm 120)

Squared beaks, clasps and wire bending plier.

3200/23 TC

ø max 0,7 mm
 (mm 120)

Squared beaks, with TC inserts.

3200/14

Langbeck – Round
 ø max 0,4 mm
 (mm 130)


2 round beaks long type.



ORTHODONTICS / ORTODONZIA

3200/97

(1:1 scale / scala 1:1)



3200/97

Tweed O'Brein
 ø max 0,7 mm
 (mm 135)

Graduated cone to form precise omega and closing loops. Micro serrated beak to prevent wire slippage.

3200/98

Tweed – Short
 ø max 0,5 mm
 (mm 130)

Designed to form precise omega loops. Long grooved beak internally smoothed. Short type.

3200/90

Tweed – Long
 ø max 0,5 mm
 (mm 135)

Designed to form precise omega loops. Long grooved beak internally serrated. Long type.



3200/55

Young
 ø max 0,5 mm
 (mm 125)

Ideal for labial arches and face bow. Universal plier for different sizes loops.

3200/80

Nance
 ø max 0,7 mm
 (mm 125)

Loop bending plier. Four step tips for loops forming. Round and rectangular wire.

3200/58

ø max 0,7 mm
 (mm 120)

Lingual arch forming plier, for fast forming all lingual retainers.

3200/51
(1:1 scale / scala 1:1)



3200/51
Tweed – Short
ø max 0,5 mm
(mm 120)

*Arch forming plier – Short.
Ideal for torquing and bending
squared or rectangular wire.
Parallel blades prevents
crushing of wires.*

3200/52
Tweed – Long
ø max 0,7 mm
(mm 125)

*Arch forming plier – Long.
As 3200/51 but for
bigger wires sizes.*

3200/57
Aderer – Short
ø max 0,6 mm
(mm 120)

*3 jaw plier – Short.
Lightly rounded tips, for
contouring and bending without
damaging the archwire.*



3200/34
De La Rosa
ø max 0,5 mm
(mm 120)

*Contours and forms archwires,
of light wire without torquing.*

3200/35
De La Rosa
ø max 0,5 mm
(mm 120)

*As 3200/34 with
additional grooves.*

3200/54
Aderer – Long
ø max 0,6 mm
(mm 120)

*3 jaw plier – Long.
As 3200/57, but with long tips.*



3200/12

(1:1 scale / scala 1:1)



3200/171 TC

V-Stop plier
 ø max 0,6 mm
 (mm 125)

Make V-Bend for archwires.



3200/13

Langbeck
 ø max 0,8 mm
 (mm 130)

Versatile utility plier with fine serration. Flat beaks.



3200/12

Fischer
 (mm 135)

Fischer utility plier, with longer flat beaks.



3200/20

Jarabak
 ø max 0,6 mm
 (mm 135)

Light wire bending plier. Versatile in different uses, as bending or closing loops. One beak partially serrated for safe grip.



3200/83


Bracket remover – Straight
 (mm 130)



3200/82

Bracket remover – Angled
 (mm 130)

2810
(1:1 scale / scala 1:1)



TC





3200/10
Waldsachs
(mm 150)

2810
Universal
(mm 155)

*Universal pin bending plier.
Bends wire up to 0,9 mm.
Cuts wire up to 0,7 mm.*

2810/TC
Universal
(mm 155)

*Universal pin bending plier TC inserts.
Bends wire up to 0,9 mm.
Cuts wire up to 0,8 mm.*



3200/15
Mc Kellops
(mm 130)

3200/16
Schwarz
ø max 0,4 mm
(mm 135)

3200/59
Johnson
(mm 135)

Crown and band contouring plier.







LIGATURE FORCEPS

PINZE PER LEGATURE

1851

(1:1 scale / scala 1:1)



1851

Smaha
(mm 140)

1852

Smaha
(mm 140)

Curved
Curvo


1850

Mini Mathieu
(mm 140)

2825/ORTO

Mini Mathieu smoothed
(mm 140)

Smoothed
Liscio



2825 (mm 140)


Plier to place modules
Pinza per moduli

1519 (mm 125)

Halstead Mosquito

2824 (mm 120)

Forceps for placing dentalastics
Pinza per applicare i dentalastics



2822 (mm 150)

Steiner

Ligature plier, for applying and stretching stainless steel ligatures
Pinza per legature, per applicare e tendere le legature



2823 (mm 150)

Separating plier, for an easy placement of separating elastics
Pinza per separazione, per inserire facilmente gli elastici

674.HL8

(1:1 scale / scala 1:1)



672/1 (ø mm 6)

672/1.HL8 (ø mm 8)

672/1.HL10 (ø mm 10)

Tucker N. 1

Ligature director
Direzionatore per legature

672/2 (ø mm 6)

672/2.HL8 (ø mm 8)

672/2.HL10 (ø mm 10)

Tucker N. 2

Ligature director
Direzionatore per legature

673 (ø mm 6)

673.HL8 (ø mm 8)

673.HL10 (ø mm 10)

Utility

Band pusher / scaler
Spingibande / scaler

673/2C (ø mm 6)

673/2C.HL8 (ø mm 8)

673/2C.HL10 (ø mm 10)

Band pusher / scaler
Spingibande / scaler

674 (ø mm 6)

674.HL8 (ø mm 8)


674.HL10 (ø mm 10)

Elastic ligature applicator
Applicatore per elastici



DIRECT BONDING BRACKET TWEEZER

PINZETTE PER L'ESATTO POSIZIONAMENTO DEL BRACKET



1006

mm 135

With blade
Con lama

1008

mm 140

1009

mm 140

1130

mm 140

1132

mm 120

1134

mm 140

Buccal tube tweezer
Pinzetta ausiliaria buccale



2811

Positioning gauge


Posizionatore per brackets
(mm 65x65)

4874/1 (per slot 018)

4874/2 (per slot 022)

Bracket height Gauge – Aluminium

Altimetro per bracket – Alluminio
(mm 150)



4876/1 (per slot 018)

4876/2 (per slot 022)

Bracket height Gauge – Stainless steel

Altimetro per bracket – Acciaio
(mm 130)



**Auxiliary instrument
for the distal bending.**
Strumento ausiliario per
la piegatura distale.

2815/1

Hole dimension: \varnothing mm 0,75 – 030"

2815/2

Hole dimension: \varnothing mm 0,55 – 022"
(mm 160)



4870 (mm 150)
Mershon
Band pusher
Spingibande



4873 (mm 140)
Molar band seater, adjustable
Posizionatore per bande, regolabile

4873/PR
Spare part
Ricambio



4871 (mm 145)
Band seater, autoclavable teflon handle (available in different colours)
Posizionatore per bande, manico autoclavabile (disponibile in diversi colori)



2817 (mm 165)
Positioner, aluminium
Posizionatore, alluminio


CROWN AND GOLD SCISSORS



3550 (mm 110)
Beebee
Saw edge, straight
Dentata, retta

3551 (mm 110)
Beebee
Saw edge, curved
Dentata, curva

WIRE SCISSORS



3522 (mm 125)
Universal, saw edge
Universale, dentata

3522/TC (mm 125)
Universal
Universale

1680/1 ORTHO CLASSIC

Content / Contenuto:

1850	Mini Mathieu
3000/31	Weingart plier
3000/67 TC	Distal end n. 67
3000/85 TC	Cutter n. 85
4905/8	Handle with mirror #4
672/1.HL8	Ligature director Tucker n.1
673.HL8	Band pusher / scaler
981/19	Gammatrix tray Quatri



1680/2 ORTHO ADVANCED

Content / Contenuto:

1006	Bracket tweezer
1850	Mini Mathieu
3000/23 TC	Adams plier
3000/31	Weingart plier
3000/67 TC	Distal end n. 67
3000/85 TC	Cutter n.85
4905/8	Handle with mirror #4
672/1.HL8	Ligature director Tucker n.1
673.HL8	Band pusher / scaler
674.HL8	Elastic ligature applicator
981/19	Gammatrix tray Quatri

Content can be changed upon request
Su richiesta il contenuto può essere cambiato

1680/3 ORTHO BAND

Content / Contenuto

3000/31	Weingart plier
3000/49 TC	Band remover short
3000/50 TC	Band remover long
4870	Band pusher
4873	Molar band seater
4905/8	Handle with mirror #4
673.HL8	Band pusher / scaler
673/2C.HL8	Band pusher / scaler
981/19	Gammafix tray Quatri



1680/4 ORTHO BRACKET


Content / Contenuto

1006	Bracket tweezer
1008	Bracket tweezer
1009	Bracket tweezer
2817	Positioner
3000/31	Weingart plier
3000/82	Bracket remover
3000/83	Bracket remover
4876/1	Bracket height gauge
4876/2	Bracket height gauge
4905/8	Handle with mirror #4
981/19	Gammafix tray Quatri

Content can be changed upon request
Su richiesta il contenuto può essere cambiato



PLIER'S HOLDER



6141

240 x 120 mm

Large rack

Porta pinze lungo




6140

150 x 120 mm

Small rack

Porta pinze corto



6142

210 x 120 mm

Double rack

Porta pinze doppio